






















































VERGLEICHS-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG DESCRIPTION	GRÖßE BALLØ	KONUS TAPER	LÄNGE LENGTH	BILD FIGURE
10 555 234	VH 51.A	Achsstrebe, fest, Molekular Torque rod, fixed, molecular 1x VHR 815	70/70 70	●19	475 RØ48 <130>	
10 561 728	VH 51.01	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.22 M30x1,5 RH 1x VH 51.21 M30x1,5 LH	35	K26	3225 RØ40	
10 667 892	VH 51.02	Spurstange, 1x verstellbar Tie rod, 1x adjustable 1x VH51.24 M30x1,5 RH	40	K30	1316 RØ50	
10 788 958	VH 51.05	Spurstange, fest Tie rod, fixed	50	K38	746 RØ48	
10 801 153	VH 51.08	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.26 M38x1,5 RH 1x VH 51.25 M38x1,5 LH	50	K38	1266 RØ60	
10 831 818	VH 51.10	Axialstange, 1x verstellbar Axial tie rod, 1x adjustable	35	K26	464 RØ36	
10 841 024	VH 51.22	Kugelgelenk, RH, M30x1,5 Tie rod end, RH, M30x1,5	35	K26	115	
10 841 026	VH 51.21	Kugelgelenk, LH, M30x1,5 Tie rod end, LH, M30x1,5	35	K26	115	
10 841 028	VH 51.24	Kugelgelenk, RH, M30x1,5 Tie rod end, RH, M30x1,5	40	K30	120	









VERGLEICHS-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG DESCRIPTION	GRÖßE BALLØ	KONUS TAPER	LÄNGE LENGTH	BILD FIGURE
10 841 030	VH 51.23	Kugelgelenk, LH, M30x1,5 Tie rod end, LH, M30x1,5	40	K30	120	
10 860 895	VH 51.11	Spurstange, fest Tie rod, fixed	50	K38	777 RØ50	
10 861 001	VH 51.12	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.24 M30x1,5 RH 1x VH 51.23 M30x1,5 LH	40	K30	460 RØ40	
10 861 014	VH 51.14	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.30 M30x1,5 RH 1x VH 51.31 M30x1,5 LH	40	K30	505 RØ42	
10 877 038	VH 51.16	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.22 M30x1,5 RH 1x VH 51.21 M30x1,5 LH	35	K26	1450 RØ40	
10 877 039	VH 51.17	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.22 M30x1,5 RH 1x VH 51.21 M30x1,5 LH	35	K26	3170 RØ42	
10 880 563	VH 52.01	Spurstange, 1x verstellbar Tie rod, 1x adjustable 1x VH 51.24 M30x1,5 RH	40	K30	1316 RØ50	
10 880 616	VH 52.02	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.22 M30x1,5 RH 1x VH 51.21 M30x1,5 LH	35	K26	1550 RØ40	
10 885 330	VH 51.35	Axialgelenk, M24x1,5, M22x1,5 Axial joint, M24x1,5, M22x1,5	40			

VERGLEICHS-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG DESCRIPTION	GRÖÖE BALLØ	KONUS TAPER	LÄNGE LENGTH	BILD FIGURE
10 885 640	VH 52.04	Spurstange, 1x verstellbar Tie rod, 1x adjustable 1x VH 51.28 M30x1,5 RH	35	K26	1667 RØ50	
10 886 881	VH 52.06	Spurstange, 1x verstellbar Tie rod, 1x adjustable 1x VH 51.28 M30x1,5 RH	35	K26	1715 RØ50	
10 892 738	VH 52.09	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.22 M30x1,5 RH 1x VH 51.21 M30x1,5 LH	35	K26	1215 RØ40	
10 895 617	VH 52.12	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.24 M30x1,5 RH 1x VH 51.23 M30x1,5 LH	40	K30	583 RØ40	
10 897 186	VH 52.14	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.22 M30x1,5 RH 1x VH 51.21 M30x1,5 LH	35	K26	3000 RØ42	
10 897 958	VH 52.15	Spurstange, 1x verstellbar Tie rod, 1x adjustable 1x VH 51.28 M30x1,5 RH	35	K26	1735 RØ50	
10 899 939	VH 52.18	Spurstange, 1x verstellbar Tie rod, 1x adjustable 1x VH51.24 M30x1,5 RH	40	K30	1050 RØ50	
10 900 233	VH 51.26	Kugelgelenk, RH, M38x1,5 Tie rod end, RH, M38x1,5	50	K38	135	

VERGLEICHS-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG DESCRIPTION	GRÖßE BALLØ	KONUS TAPER	LÄNGE LENGTH	BILD FIGURE
10 907 418	VH 52.20	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.22 M30x1,5 RH 1x VH 51.21 M30x1,5 LH	35	K26	2920 RØ42	
10 907 419	VH 52.21	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.22 M30x1,5 RH 1x VH 51.21 M30x1,5 LH	35	K26	1155 RØ40	
10 914 734	VH 52.25	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.22 M30x1,5 RH 1x VH 51.21 M30x1,5 LH	35	K26	3075 RØ46	
10 923 548	D 52.00	Spureinstellung Distanzhülse mit Gewinde Wheel alignment Thredecl spacer	Innengewind Internal thread M30x1,5 RH	M38x1,5 LH	90	
10 924 241	VH 51.28	Kugelgelenk, RH, M30x1,5 Tie rod end, RH, M30x1,5	35	K26	142	
10 933 648	VH 52.30	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.22 M30x1,5 RH 1x VH 51.21 M30x1,5 LH	35	K26	1343 RØ40	
10 936 659	VH 52.33	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.22 M30x1,5 RH 1x VH 51.21 M30x1,5 LH	35	K26	1040 RØ40	
10 940 282	VH 52.36	Spurstange, 1x verstellbar Tie rod, 1x adjustable 1x VH 51.28 M30x1,5 RH	35	K26	1535 RØ50	
10 945 395	VH 52.40	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.22 M30x1,5 RH 1x VH 51.21 M30x1,5 LH	35	K26	1840 RØ40	

VERGLEICHS-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG DESCRIPTION	GRÖßE BALLØ	KONUS TAPER	LÄNGE LENGTH	BILD FIGURE
10 945 420	VH 52.41	Spurstange, 1x verstellbar Tie rod, 1x adjustable 1x VH 51.22 M30x1,5 RH	35	K26	2224 RØ50	
10 946 722	VH 52.45	Spurstange, 1x verstellbar Tie rod, 1x adjustable 1x VH 51.28 M30x1,5 RH	35	K26	1705 RØ50	
10 948 271	VH 52.48	Spurstange, 1x verstellbar Tie rod, 1x adjustable 1x VH 51.28 M30x1,5 RH	35	K26	1656 RØ50	
10 953 651	VH 52.50	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.24 M30x1,5 RH 1x VH 51.23 M30x1,5 LH	40	K30	399 RØ40	
10 958 630	VH 52.55	Spurstange, 1x verstellbar Tie rod, 1x adjustable 1x VH 51.28 M30x1,5 RH	35	K26	1715 RØ50	
10 964 187	VH 52.58	Spurstange, 1x verstellbar Tie rod, 1x adjustable 1x VH 51.28 M30x1,5 RH	40	K30	1040 RØ52	
10 984 432	VH 51.30	Kugelgelenk, RH, M30x1,5 Tie rod end, RH, M30x1,5	40	K30	175	
10 984 436	VH 51.31	Kugelgelenk, LH, M30x1,5 Tie rod end, LH, M30x1,5	40	K30	175	
10 999 904	VH 51.34	Kugelgelenk, RH, M26x1,5# Tie rod end, RH, M26x1,5#	40	K30	95	

VERGLEICHS-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG DESCRIPTION	GRÖßE BALLØ	KONUS TAPER	LÄNGE LENGTH	BILD FIGURE
634 203 870	VH 51.40	Kugelgelenk, RH, M26x1,5# Tie rod end, RH, M26x1,5#	50	K38	86	
634 204 570	VH 51.41	Kugelgelenk, RH, M16x1,5# Tie rod end, RH, M16x1,5#	25	K14	70	
634 301 140	VHR 815	Rep.-Satz, Kugelstück, Molekular Repair kit, with pivot pin, molecular	70	●19 ⇒30⇐	<130>	
634 301 790	VHR 814	Rep.-Satz, Kugelstück, Molekular Repair kit, with pivot pin, molecular	62	●17 ⇒24⇐	<115>	
634 303 040	VH 51.45	Kugelgelenk, Einpress Ø 95 Ball joint	65	K45	179,5	
634 301 860	VH 53.01	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.22 M30x1,5 RH 1x VH 51.21 M30x1,5 LH	35	K26	1550	
624 304 350	VH 51.B	Achsstabe, fest, Molekular Torque rod, fixed, molecular 1x VHR 815	70/70 70	●19 <130>	995 RØ50	
624 304 390	VH 53.06	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.22 M30x1,5 RH 1x VH 51.21 M30x1,5 LH	35	K26	1520 RØ40	
624 304 600	VH 51.E	Achsstabe, fest, Molekular Torque rod, fixed, molecular 1x VHR 815	70/70 70	●19 <130>	800 RØ48	

VERGLEICHS-NR. CROSS-REF.-NO.	HEYD-NR.	BENENNUNG DESCRIPTION	GRÖÖE BALLØ	KONUS TAPER	LÄNGE LENGTH	BILD FIGURE
624 304 610	VH 51.G	Achsstrebe, 2x verstellbar Torque rod, 2x adjustable 1x VHR 815	70/70 70	●19	730 RØ50 <130>	
624 304 620	VH 51.H	Achsstrebe, 2x verstellbar Torque rod, 2x adjustable 1x VHR 815 1x VHR 940	70/70 70 70	●19 ●32	800 RØ48 <130> 95	
624 304 660	VH 53.10	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.24 M30x1,5 RH 1x VH 51.23 M30x1,5 LH	40	K30	1040 RØ40	
624 304 680	VH 53.14	Spurstange, 2x verstellbar Tie rod, 2x adjustable 1x VH 51.22 M30x1,5 RH 1x VH 51.23 M30x1,5 LH	35	K26	2925 RØ42	
624 304 720	VH 53.16	Stabilisatorstrebe, fest Stabilizer rod, fixed	40	K30	576 RØ40	
660 526 424	VH 60.85	Kugelgelenk, RH, M14x1,5 Tie rod end, RH, M14x1,5	20	K12	85	
660 527 072	VH 70.82	Kugelgelenk, RH, M10x1,0 Tie rod end, RH, M10x1,0	19	M10 SW12	85	
660 528 794	VH 70.81	Kugelgelenk, LH, M10x1,0 Tie rod end, LH, M10x1,0	19	M10 SW12	85	
	VHR 940	Rep.-Satz, Kugelhülse, Molekular Repair kit, with ball housing, molecular	70	●32	95	